Author index

Alex, J.C. *see* Krag, D.N.
Alex, J.C. & Krag, D.N. Gamma-probe guided localization of lymph nodes, 137
Alex, J.C., Weaver, D.L., Fairbank, J.T., Rankin, B.S. & Krag, D.N. Gamma-probe-guided lymph node localization in malignant melanoma, 303
Anderson, I.D., Manson, J.M., Martin, D.F. & Tweedle, D.E.F. Relief of metastatic bilary obstruction by stent placement: is it worthwhile?, 113
Arnold, M. *see* Lau, W.Y.
Baekey, P. *see* Reintgen, D.
Bailey, B. *see* Stein, T.A.
Bear, H.D. *see* Scott Lind, D.
Bellingeri, D. *see* Betta, P.G.
Bebson, B.B. *see* Frank, J.L.
Berman, C. *see* Reintgen, D.
Bethke, K.P. *see* Scott Lind, D.
Betta, P.G., Bottero, G., Pavesi, M., Pastormerio, M., Bellingeri, D. & Tallarida, F. Cell proliferation in breast carcinoma assessed by a PCNA grading system and its relation to other prognostic variables, 59
Bhargava, A. *see* Petrelli, N.J.
Black, C. *see* Pogrebniak, H.W.
Blumenson, L.E. *see* Mamounas, E.P.
Bottero, G. *see* Betta, P.G.
Boyle, T.J. *see* Coles, R.E.
Brotherick, I., Shenton, B.K., Kirby, J.A., Rigg, K.M., Palmer, J.M., Yeaman, S.J. & Lennard, T.W.J. Production of immunosuppressive factors by a cultured tumour cell line and their effect of lymphocyte proliferation and cell cycle response, 241
Burns, G.P. *see* Stein, T.A.
Bush, C. *see* Reintgen, D.
Cajucom, C.C. *see* Petrelli, N.J.
Chan, M. *see* Lau, W.Y.
Chen, L.B. *see* Singer, A.
Clark, R.A. *see* Reintgen, D.
Coles, R.E., Boyle, T.J., Kurtzberg, J., Stewart A., Peters, W.P. & Lyerly, H.K. Retroviral gene transduction of circulating progenitor cells in patients with metastatic breast cancer, 1
Cox, C. *see* Reintgen, D.
Cox, C.E. *see* Nicosia, S.V.
Crofton, M. *see* Hunt, J.B.
Cushieri, A. *see* Pietrabissa, A.
Darzi, A., Goldin, R., Guillou, P.J. & Monson, J.R.T. High-energy shock waves pyrotherapy. A new concept in extracorporeal tumour therapy, 197
Davis, N.L. *see* Hemming, A.W.
Donohue, J.H. *see* Gouth, D.B.
Doubek, W.D. *see* Johnson, F.E.
Driscoll, D.L. *see* Mamounas, E.P.
Dubois, B. *see* Hemming, A.W.
Dudrick, P.S., Inoue, Y., Espat, N.J. & Souba, W.W. Na^+-dependent glutamine transport in the liver of tumour-bearing rats, 205
Earashi, M. *see* Noguchi, M.
Elfenbein, G.J. *see* Fields, K.K.
Espat, N.J. *see* Dudrick, P.S.
Evans, M.M. *see* Gough, D.B.
Evers, B.M. *see* Sumi, S.
Fairbank, J.T. *see* Alex, J.C.
Fairbank, J.T. *see* Krag, D.N.
Farr, S.A., Susman, R.S., Sunwood, Y.C. & Johnson, F.E. Regional procarbazine delivery reduces testicular toxicity, 349
Farre, A., Ishizuka, J., Gomez, G., Parekh, D., Townsend, C.M. Jr. & Thompson, J.C. Bombesin stimulates growth of colon cancer in mice and decreases their survival, 169
Fields, K.K., Perkins, J.P., Hiemenz, J.W., Zorsky, P.E., Janssen, W.E., Kronish, L.E., Machak, M.C. & Elfenbein, G.J. Intensive dose ifosfamide, carboplatin and etoposide followed by autologous stem cell rescue: results of a Phase I/II study in breast cancer patients, 87
Finley, R.J. *see* Hemming, A.W.
Fitzgerald, R.J. *see* Surana, R.
Flowers, J.L. *see* Lefor, A.T.
Ford, R. *see* Ishii, S.
Frank, J.L., Garb, J.L., Banson, B.B., Peterman, J., Neifeld, J., Kay, S., Kornstein, M.J., Sismanis, A. & Ware, J.L. Epidermal growth factor receptor expression in squamous cell carcinoma of the hypopharynx, 161
Frank, J.L. *see* Scott Lind, D.
Gallagher, G. *see* Xie, J.
Garb, J.L. *see* Frank J.L.
Goldin, R. *see* Darzi, A.
Gomez, G. *see* Frank, J.L.
Gostin, C. *see* Singer, A.
Gough, D.B., Donohue, J.H., Evans, M.M., Pernicone, P.J., Wold, L.E., Naessens, J.M. & O'Brian, P.C. A 50-year experience of male breast cancer: is outcome changing? 325
Greenberg, H. *see* Reintgen, D.
Guillou, P.J. *see* Reintgen, D.
Guillou, P.J. *see* Darzi, A.
Guillou, P.J. *see* Reynolds, J.V.
Guillou, P.J. *see* Somers, S.S.
Hafström, L. *see* Lindnér, P.
Hamada, T. *see* Oyama, T.
Heath, D.D. *see* Lindnér, P.
Hemming, A.W., Davis, N.L., Dubois, B., Quenville, N.F. & Finley, R.J. Photodynamic therapy of squamous cell carcinoma. An evaluation of a new photosensitizing agent benzoporphyrin derivative and new photoimmunoconjugate, 187
Henslee, J. *see* Petrelli, N.J.
Heyman, M.R. *see* Lefor, A.T.
Hiemanz, J.W. *see* Fields, K.K.
Holmes, E.C. *see* Kelly, J.
Horowitz, S.A. *see* Nicosia, S.V.
Howell, S.B. *see* Lindnér, P.
Hsieh, A.C. *see* Ishizuka, J.

Hunt, J.B., Sayer, J.M., Jacyna, M., Crofton, M. & Summerfield, J.A. Combined percutaneous transhepatic and endoscopic placement of biliary stents, 293
Inoue, Y. *see* Dudrick, P.S.
Ishii, S., Ford, R., Thomas, P., Nachman, A., Steele, G. Jr & Jessup, J.M. CD44 participates in the adhesion of human colorectal carcinoma cells to laminin and type IV collagen, 255
Ishizka, J. *see* Frank, J.L.
Ishizuka, J. *see* Sumi, S.
Ishizuka, J., Hsieh, A.C., Townsend, C.M., Jr. & Thompson, J.C. Effect of 5-HT_3 receptor antagonist (ondansetron) on functioning human pancreatic carcinoid cells, 221
Itabashi, N. *see* Mitzobuchi, S.
Jacyna, M. *see* Hunt, J.B.
Janney, C.G. *see* Johnson, F.E.
Janssen, W.E. *see* Fields, K.K.
Jessup, J.M. *see* Ishii, S.
Johnson, F.E. *see* Farr, S.A.
Johnson, F.E., Doubek, W.D., Tolman, K.C. & Janney, C.G. Testicular cytotoxicity of intravenous procarbazine in rats, 77
Kairaluoma, M.I. *see* Mäkelä, J.T.
Kantola, R. *see* Mäkelä, J.T.
Kato, H. *see* Mizobuchi, S.
Kay, S. *see* Frank, J.L.
Kelly, J., Holmes, E.C., Rosen, G. Mitoxantrone for malignant pleural effusion due to metastatic sarcoma, 299
Kirby, J.A. *see* Brotherick, I.
Kitagawa, H. *see* Noguchi, M.
Kornstein, M.J. *see* Frank, J.L.
Krag, D.N. *see* Alex, J.C.
Krag, D.N., Weaver, D.L., Alex, J.C. & Fairbank, J.T. Surgical resection and radiolocalization of the sentinel lymph node in breast cancer using a gamma probe, 335
Kronish, L.E. *see* Fields, K.K.
Ku, N.N.K. *see* Nicosia, S.V.
Kurtzberg, J. *see* Coles, R.E.
Lau, W.Y., Arnold, M., Leung, N.W.Y., Leung, T.W.T., Chan, M., Shiu, W., Metreweli, C. & Li, A.K.C. Hepatic intra-arterial lipiodol ultrasound guided biopsy in the management of hepatocellular carcinoma, 119
Lefor, A.T., Flowers, J.L. & Heyman, M.R., Laparoscopic staging of Hodgkin's disease, 217
Lennard, T.W.J. *see* Lau, W.Y.
Leung, T.W.T. *see* Lau, W.Y.
Li, A.K.C. *see* Lau, W.Y.
Lindnér, P., Heath, D.D., Shalinsky, D.R., Howell, S.B., Naredi, P. & Hafström, L. Regional lymphatic drug exposure following intraperitoneal administration of 5-fluorouracil, carboplatin, and etoposide, 105
Lubensky, I.A. *see* Pogrebniak, H.W.
Lyerly, H.K. *see* Coles, R.E.
Lyman, G.H. *see* Reintgen, D.
McCrady, C.W. *see* Scott Lind, D.
Machak, M.C. *see* Fields, K.K.
Mäkelä, J.T., Kantola, R. & Kairaluoma, M.I. Superselective intra-arterial chemotherapy with mitoycin C for hepatocellular carcinoma, 99
Mamounas, E.P., Perez-Mesa, C., Penetrante, R.B., Driscoll, D.L., Blumenson, L.E. & Tsangaris, T.N. Patterns of occurrence of second primary non-mammary malignancies in breast cancer patients: results 1382 consecutive autopsies, 175
Manson, J.M. *see* Anderson, I.D.
Marsh, P.J. *see* Starzyska, T.
Martin, D.F. *see* Anderson, I.D.
Matthews, W. *see* Pogrebniak, H.W.
Mela, N. *see* Nicosia, S.V.
Mesko, T.W., Petrelli, N.J., Rodriguez-Bigas, M. & Nava, H. Endoscopic laser treatment for palliation of colorectal adenocarcinoma, 25
Metreweli, C. *see* Lau, W.Y.
Mitchell, J.B. *see* Pogrebniak, H.W.
Mitsudomi, T. *see* Oyama, T.
Mitzobuchi, S., Kato, H., Tachimori, Y., Watanabe, H., Yamaguchi, H. & Itabashi, N. Multiple primary carcinoma of the oesophagus, 249
Miyazaki, I. *see* Noguchi, M.
Mizoue, T. *see* Oyama, T.
Mizukami, M. *see* Noguchi, M.
Moloney, R. *see* Surana, R.
Monson, J.R.T. *see* Darzi, A.
Murakami, M. *see* Sumi, S.
Nachman, A. *see* Ishii, S.
Naessens, J.M. *see* Gough, D.B.
Naredi, P. *see* Lindnér, P.
Nava, H. *see* Mesko, T.W.
Neifeld, J.P. *see* Frank, J.L.
Neoptolemos, J.P. Editorial. Relief of malignant obstructive jaundice, 97
Neuringer, J. *see* Singer, A.
Nicosia, S. *see* Reintgen, D.
Nicosia, S.V., Williams, J.A., Horowitz, S.a., Ku, N.N.K., Shabaik, A.S., Mela, N., Reintgen, D.S. & Cox, C.E., Fine needle aspiration biopsy of palpable breast lesions. Review and statistical analysis of 1875 cases, 145
Noguchi, M., Ohta, N., Thomas, M., Kitagawa, H., Earashi, M., Miyazaki, I. & Mizukami, M., Clinical and biological prediction of axillary and internal mammary lymph node metastases in breast cancer, 51
O'Brien, P.C. *see* Gough, D.B.
Ohta, N. *see* Noguchi, M.
Okunieff, P. *see* Singer, A.
Oyama, T., Mitsudomi, T., Yoshida, Y., Mizoue, T., Hamada, T. & Shirakusa, T. Nucleolar organizer regions are independently associated with a shortened survival in patients with non-small cell lung cancer, 341
Palmer, J.M. *see* Brotherick, I.
Parekh, D. *see* Frank, J.L.
Pass, H.I. *see* Pogrebniak, H.W.
Pastormereio, M. *see* Betta, P.G.
Pavesi, M. *see* Betta, P.G.
Penetrante, R.B. *see* Mamounas, E.P.
Perez-Mesa, C. *see* Mamounas, E.P.
Perkins, J.P. *see* Fields, K.K.
Pernicone, P.J. *see* Gough, D.B.
Peters, W.P. *see* Coles, R.E.
Petrelli, N.J. *see* Mesko, T.W.
Petrelli, N.J., Cajucom, C.C., Rodriquez-Bigas, M., Henslee & Bhargava, A. Altered immunoglobulin A (IGA-1) levels in patients with advanced colorectal adenocarcinoma presenting with normal

preoperative levels of carcinoembryonic antigen (CEA), 19
Pietrabissa, A., Shimi, S.M., Vander Velpen, G. & Cushieri, A. Localization of insulinoma by laparoscopic infragastric inspection of the pancreas and contact ultrasonography, 83
Pogrebniak, H.W., Lubensky, I.A. & Pass, H.I. Differential expression of platelet derived growth factor-β in maligant mesothelioma: a clue to future therapies? 235
Pogrebniak, H.W., Matthews, W., Black C., Russo, A., Mitchell, J.B., Smith, P., Roth, J.A. & Pass, H.I. Targeted phototherapy with sensitizer-monoclonal antibody conjugate and light, 31
Quenville, N.F. *see* Hemming, A.W.
Rankin, B.S. *see* Alex, J.C.
Reintgen, D., Berman, C., Cox, C., Baekey, P., Nicosia, S., Greenberg, H., Bush, C., Lyman, G.H. & Clark, R.A. The anatomy of missed breast cancers, 65
Reintgen, D.S. *see* Nicosia, S.V.
Reynolds, J.V., Somers, S.S. & Guillou, P.J. Inhibition of interleukin-2 dependent immune responses by serum from patients with advanced gastrointestinal cancer, 227
Rigg, K.M. *see* Brotherick, I.
Rodriguez-Bigas, M. *see* Mesko, T.W.
Rodriguez-Bigas, M. *see* Petrelli, N.J.
Rosen, G. *see* Kelly, J.
Roth, J.A. *see* Pogrebniak, H.W.
Russo, A. *see* Pogrebniak, H.W.
Sato, K. *see* Sumi, S.
Sayer, J.M. *see* Hunt, J.B.
Scott Lind, D., Tuttle, T.M., Bethke, K.P., Frank, J.L., McCrady, C.W. & Bear, H.D. Expansion and tumour specific cytokine secretion of bryostatin-activated T-cells from cryopreserved axillary lymph nodes of breast cancer patients, 273
Shabaik, A.S. *see* Nicosia, S.V.
Shalinsky, D.R. *see* Lindnér, P.
Shenton, B.K. *see* Brotherick, I.
Shimi, S.M. *see* Pietrabissa, A.
Shirakusa, T. *see* Oyama, T.
Shiu, W. *see* Lau, W.Y.
Singer, A., Okunieff, P., Gostin, C., Thilly, W.G., Chen, L.B. & Neuringer, J. ^{13}C and ^{31}P-NMR studies of human colon cancer *in-vitro* and *in-vivo*, 7
Sismanis, A. *see* Frank, J.L.
Smith, P. *see* Pogrebniak, H.W.
Somers, S.S. *see* Reynolds, J.V.
Somers, S.S. & Guillou, P.J. Isolation and expansion of lymphocytes from gastrointestinal tumour tissue, 283
Souba, W.W. *see* Dudrick, P.S.
Starzyska, T., Marsh, P.J. & Stern, P.L. p53 Over-expression as a marker of malignancy in gastric biopsies, 321
Steele, G. *see* Ishii, S.
Stein, T.A., Bailey, B. & Burns, G.P. Hepato-pancreatic uptake and elimination of 5-flurouracil after intravenous injection, 43
Stern, P.L. *see* Starzyska, T.
Stewart, A. *see* Coles, R.E.
Sumi, S., Evers, B.M., Townsend, C.M. Jr, Yoshinaga, K., Uchida, T., Murakami, M., Sato, K., Ishizuka, J. & Thompson, J.C. Comparative effects of neurotensin and neuromedin N on growth of human pancreatic cancer, MAI PaCa-2, 267
Summerfield, J.A. *see* Hunt, J.B.
Sunwood, Y.C. *see* Farr, S.A.
Surana, R., Moloney, R. & Fitzgerald, R.J. Tumours of heterotopic salivary tissue in the upper cervical region in children, 133
Susman, R.S. *see* Farr, S.A.
Tachimori, Y. *see* Mitzobuchi, S.
Tallarida, F. *see* Betta, P.G.
Thilly, W.G. *see* Singer, A.
Thomas, M. *see* Noguchi, M.
Thomas, P. *see* Ishii, S.
Thompson, J.C. *see* Frank, J.L.
Thompson, J.C. *see* Ishizuka, J.
Thompson, J.C. *see* Sumi, S.
Tolman, K.C. *see* Johnson, F.E.
Townsend, C.M. Jr. *see* Ishizuka, J.
Townsend, C.M. Jr. *see* Frank, J.L.
Townsend, C.M. Jr. *see* Sumi, S.
Tsangaris, T.N. *see* Mamounas, E.P.
Tuttle, T.M. *see* Scott Lind, D.
Tweedle, D.E.F. *see* Anderson, I.D.
Uchida, T. *see* Sumi, S.
Vander Velpen, G. *see* Pietrabissa, A.
Watanabe, H. *see* Mitzobuchi, S.
Ware, J.L. *see* Frank, J.L.
Weaver, D.L. *see* Alex, J.C.
Weaver, D.L. *see* Krag, D.N.
Williams, J.A. *see* Nicosia, S.V.
Wold, L.E. *see* Gough, D.B.
Xie, J. & Gallagher, G. Co-stimulation with IL-2, but not via CD28, overcomes immunosuppression by breast tumour-derived factors on the *in vitro* stimulation of human T-cells, 125
Yamaguchi, H. *see* Mitzobuchi, S.
Yeaman, S.J. *see* Brotherick, I.
Yoshida, Y. *see* Oyama, T.
Yoshinaga, K. *see* Sumi, S.
Zeng, Z.-S. & Zhang, Z.-F. Cholecystectomy and colorectal cancer in China, 311
Zhang, Z.-F. *see* Zeng, Z.-S.
Zorsky, P.E. *see* Fields, K.K.

Keyword index

5-fluorouracil, 43, 105
5-hydroxytryptamine, 221
adenocarcinoma, 19, 169
adhesion molecule, 255
Ag-NOR, 341
alcohol drinking, 249
Animal model, 31
anti-CD28, 135
anti-CD3, 125
anti-EGFr-porphyrin conjugate, 187
axillary mammary lymph node metastases, 51

benzoporphyrin derivative, 187
bile, 43
bile duct, 293
biliary endoprosthesis, 113
biliary obstruction, 113
bombesin, 169
bone marrow transplant, 87
breast, 145, 325, 335
breast cancer, 1, 51, 59, 87, 125, 175
bryostatin, 273

Ca^{2+}, 221
cAMP, 221
cancer, 7, 205, 227, 283, 335
cancer treatment, 77
carboplatin, 87, 105
carcinoembryonic antigen, 19
carcinogeneis of multiple carcinoma, 249
carcinoid cells, 221
carcinoma, 325
CD34, 1
CD44, 255
cell cycle, 241
cell growth, 267
cells, 7
cervical, 133
chemotherapy, 99
child, 133
cholecystectomy, 311
cholelithiasis, 311
colon, 7, 169
colorectal, 19, 25
colorectal cancer, 311
colorectal carcinoma, 255
contact ultrasonography, 83
cytokines, 273
cytology, 145

diagnostic accuracy, 156
drug toxicity, 349

endoscopic, 293
endoscopy, 25
epidermal growth factor receptor, 161
etoposide, 87, 105
extracellular matrix, 255

false negative mammogram, 65
fibrinoid necrosis, 197
fine-needle aspiration biopsy, 145

gallbladder, 311
gamma probe, 137, 303, 335
gastric biopsy, 321
gene therapy, 1
glutamine, 205
growth, 169

head and neck cancer, 161
haematoporphyrin, 31
Hepatic System N, 205
hepatic tumours, 197
hepatocellular cancer, 99
hepatocellular carcinoma, 119
heterotopic salivary tumours, 133
Hodgkin's disease, 217
hyperthermia, 197

ifosfamide, 87
IL-2, 125
immunoglobulin, 19
immunohistochemistry, 59, 321
immunosuppression, 125, 227, 241
immunotherapy, 227, 273, 283
infertility, 77, 349
infragastric, 83
insulinoma, 83
interleukin-2, 227
internal mammary lymph node metastases, 51
intraperitoneal, 105
ionomycin, 273

jaundice, 113

laparoscopic localization, 83
laparoscopy, 217
laser, 25, 31
lipiodol ultrasound, 119
lithotripsy, 197
liver, 43, 205
liver biopsy, 119
lugol stain, 249
lymph node, 137, 303, 335
lymphatic exposure, 105
lymphocyte, 241
lymphocytes, 283

male, 321
mastectomy, 321
medical-legal implications, 65
melanoma, 137, 303
mesothelioma, 235
metabolism, 7
metastases, 113
metastasis, 303
metastatic sarcoma, 299
mice, 169
mitoxantrone, 299
monoclonal antibody, 31
multiple primary oesophageal carcinoma, 249
multivariate analysis, 161, 341
neuromedin N, 267
neurotensin, 267
non-mammary malignancies, 175
non-small cell lung cancer, 341
Northern blot, 235

obstruction, 293
oesophageal carcinoma, 249
ondansetron, 221

p53 overexpression, 321
palpable lesions, 145
palpation threshold, 65
pancreas, 43
pancreatic cancer, 267
pancreatic juice, 43
PC10 MAb, 59
PCNA, 59
PDGF-β, 235
peripheral blood stem cell transplant, 87
phosphatidylinositol hydrolysis, 221
photodynamic therapy, 187
Photofrin II, 31
phototherapy, 31
pleural effusion, 299
procarbazine, 77, 349
prognostic factor, 59
proliferation, 241
proliferation rate, 59

rat, 77, 349
regional drug delivery, 349
retroviral vector, 1
RNA, 235

second primary, 175
serum, 43, 227
shock waves, 197
smoking, 249
splenectomy, 217
squamous cell carcinoma, 187
staging, 335
stem cell, 1

stent, 293
surgery, 99
survival, 161, 169, 325, 341

T lymphocytes, 273
Technetium, 137, 303
testicle, 77, 349
therapy, 293
thermal, 197
threshold, 65
TIL, 283
transduction, 1
transhepatic, 293
transport, 205
tumour, 7, 241